

MSH Emergency Department

EM Operations Updates

Date: 11/6/2023

Clinical Care

ED Code team and Patient Decompensation in New Areas

- Please reference [Epic Documents > Clinical Pathways > ED Code Team Process](#) for updated information on the ED Code team after the latest construction move. Highlights include:
- ED Code Team Backpack is **located in the Zone B Alcove space**
 - **Reminder:** It is the responsibility of the midlevel on the ED Code Team (Acute 2 Senior Resident or most senior PA on Tues night/Wed morning) to ensure that the backpack is in its stated location and appropriately stocked **at the beginning of your shift** and to bring the backpack to the code when called.
- You may be called to respond to an ED Code Team in MC Boarding or Zone H due to location (hospital policy dictates the ED Code Team responds to all codes on the MC level), however **if the patient is admitted**, please ensure that RRT has been contacted by the Front Line Provider or Primary RN and when they arrive, handoff care to RRT
 - Decompensating admitted patients **SHOULD ONLY** be brought to RESUS if RRT feels it is necessary and the RRT attending has discussed with the RESUS attending
- **Observation patients** who are decompensating in Zone H should be managed by the RETU PA or, if needed, the ED Code Team
 - If a higher level of care is needed, the patient should be moved to RESUS at the discretion of the ED Code Team attending

Accessing Amion Without Logging In

- Use the top/bottom track board:

ED Track Board (ED)

Refresh Expect Tmp Pt Review Visit Orders Notes Quick Doc Communications Admit Discharge Patient Transport Sign In Tx Team Comments Leg

19 Patient Experience Health Education PAIC # 929-658-9024 Operations Coordinators Nurse Education Manager ED Pharmacist Radiology Escalation Senior Clinical

My Patients (0) All Patients (111) Acute One (17) Acute Two (14) Mid-Fast (11) **RESUS (5)** PIT (6) RETU (16) Zone G (13) Adult Bed Board (30)

Zone A (9) Zone B (8) Zone C (11) Zone D (9) Zone E (6) Zone H (24) MC Boarding (20) Waiting Room (6) Expected Call-Ins/EMS (2) More Views

| ESI | Room | Team | Sep | Patient | Call | Age | Complaint | EMt | 30d | Att | Mid | Ext | RN | PN | Attn | Med | EKG | Lab | Cx | Rad | Con | CN | Comment | Pen | ISO/IT | P |
|-----|--------|-----------|-----|---------------------|------|------|-------------------|-----|-----|-----|-------------|----------------|----------|---------|------|-----|-----|------|--------|--------|-----|----|----------|-----|--------|---|
| 2 | E 509A | Acute One | | Siauw, Jun (M) | | 69 Y | chest pain / a... | | | | Pedro Gi... | Ardi Knobel... | Katri... | | | | | ✓... | !!!... | ✗[...] | | | Labs,... | | | |
| 2 | E 509B | Acute One | E | Jones, Mary (F) | | 83 Y | Cough; Fever;... | | | | Pedro Gi... | Ardi Knobel... | May... | | | | | ✓... | [...] | ✗[...] | | | Reord... | | | |
| 2 | E 508A | Acute One | E | Pizzino, Frank (M) | | 74 Y | Shortness of... | | | | Pedro Gi... | Ardi Knobel... | Bian... | | | | | ✓... | !!!... | ✓[...] | | | DKA... | | | |
| 2 | E 507A | Acute Two | | Smyth, Patrick (M) | | 60 Y | Shortness of... | | | | Pedro Gi... | Ardi Knobel... | Katri... | | | | | ✓... | [...] | ✓[...] | | | Labs... | | | |
| 3 | E 510B | Acute Two | | Cordero, Canela (F) | | 35 Y | Shortness of... | | | | Vinh-Tu... | Samuel Pan... | M... | Bian... | | | | ✓... | [...] | ✓[...] | | | SDU... | | | |

Hide Report

Triage Summary All Services SignOut Orders Vitals Results ED Chart ED Pt Care Timeline AMAC Call-In Info All ED Notes ED Medications More Triage Su

Siauw, Jun MRN:H401750 (69 y.o. M) (Adm: 11/06/23 0947) PCP: None E

Visit ID
75540525

ED Arrival Information

| | | | |
|-------------------|-----------------|--------------------|----------------------|
| Expected | Arrival | Acuity | |
| - | 11/6/2023 09:47 | Emergent (2) | |
| Means of arrival | Escorted by | Service | Admission type |
| By Personal Means | Self | Emergency Medicine | Emergency Department |
| Arrival complaint | | | |

- Click "Tx Team and AmION"

Hide Report

Timeline AMAC Call-In Info All ED Notes ED Medications Chart Reminders Code Doc Timeline Tx Team and AmION More

- Scroll down and use the hyperlink under "AmION":

Hide Report

Triage Summary All Services SignOut Orders Vitals Results ED Chart ED Pt Care Timeline AMAC Call-In Info All ED Notes ED Medications Chart Reminders Code Doc Timeline Tx Team and AmION More

Siauw, Jun MRN:H401750 (69 y.o. M) (Adm: 11/06/23 0947) PCP: None E

Visit ID
75540525

| Treatment Team | | | | | | Provider Teams | | | |
|-------------------------|---------|--------------------|--------------------|---------------|-----|----------------------------|--------------|------------|------------|
| Provider | Service | Role | Specialty | From | To | Team | Primary Team | Specialty | Team Pager |
| Pedro Giron, MD | | Attending Provider | Emergency Medicine | 11/06/23 1004 | --- | MSH Cardiology-Eps Service | No | CARDIOLOGY | |
| Jasmin Almengol, RN | | Registered Nurse | | 11/06/23 1004 | --- | Team | | | |
| Katrina Corallino, RN | | Registered Nurse | | 11/06/23 1003 | --- | | | | |
| Ardi Knobel Mendoza, MD | | Resident | | 11/06/23 1003 | --- | | | | |

AmION - Service Team Link
Click Here to Access Covering Physician Information via AMION

Make Sure to order Blood When Ordering a Transfusion

- When ordering blood transfusions, make sure you are ordering the blood itself under "Blood Products" as well as the nursing transfusion order under "Transfuse Only Orders". If you only place the nursing order, the blood bank will not be notified, and no blood will be prepared.

▼ Transfusion Orders

For KCentra (PCC) please use the Intracranial Bleed [3123] or Non-Intracranial Bleed [1399] order sets.
 For other blood products, including Rh IG, please use the Factor Administration [1041] order set.

▼ MTP Reminder

Reminder: Please call the Blood Bank at x46101 for Massive Transfusion needs.

▼ Blood Products

- Transfuse Leukoreduced Red Blood Cells
- Transfuse Leukoreduced, Irradiated Red Blood Cells
- Transfuse Single Donor Platelets
- Transfuse FFP
- Cryoprecipitate

▼ Transfuse Only Orders

- Transfuse Red Blood Cells
STAT
- Transfuse Fresh Frozen Plasma
STAT
- Transfuse Platelets
STAT
- Transfuse Cryoprecipitate
STAT

Telemetry Packs

- Tele Packs are returning to the Observation Unit starting next week. The packs will be attached to patients and can connect wirelessly with both their monitor in the room and the central station to display their cardiac rhythm. The patient's nurse will be alerted of any abnormal rhythms and will escalate to the providers as needed.
- Patients *should not* leave Zone H with the telemetry pack on and should be transitioned to a transport monitor to go to testing/imaging. We *will not* be using them for admitted patients boarding in Zone H.
- Providers interested in learning more about how the telemetry packs function can attend training sessions in the Shelly Conference Room at the times below.

| | 6-Nov | 7-Nov | 8-Nov | 9-Nov |
|------|------------|-------------|------------|-------------|
| | <u>Mon</u> | <u>Tues</u> | <u>Wed</u> | <u>Thur</u> |
| Luke | 1p-2p | 6a-7a | 6a-7a | 6a-7a |
| | 2p-3p | 7a-8a | 7a-8a | 7a-8a |
| | 3p-4p | 8a-9a | 8a-9a | 8a-9a |

| | | | | |
|-------|---------|---------|---------|--|
| | | 10a-11a | 10a-11a | |
| | | 11a-12p | 11a-12p | |
| | | 1p-2p | 1p-2p | |
| | | | | |
| Sarah | 8p-9p | 3p-4p | 3p-4p | |
| | 9p-10p | 4p-5p | 4p-5p | |
| | 10p-11p | 5p-6p | 5p-6p | |
| | | 8p-9p | 8p-9p | |
| | | 9p-10p | 9p-10p | |
| | | 10p-11p | 10p-11p | |

Alarm Fatigue Project

- To decrease alarm fatigue nursing is working on a project to adjust the parameters on monitors in Resus. Nurses may come up to you and ask for a nursing communication or an update to the "Cardiac Monitoring within the ED" order for new parameters.
- All patients in Resus require a "Cardiac Monitoring within the ED" order
- For example, if a patient is in Resus for tachycardia and you would like the alarm to only go off if their heart rate goes above 150, you can enter that in the comment section of the order below.

Cardiac Monitoring within the ED
✓ Accept ✗ Cancel

Priority: Routine STAT

Frequency: Until Discontinued

Starting: Today Tomorrow For: Hours Days Weeks

At:

Starting: **Today 1717** Ending: **Until Specified**

Comments: abc ↻ ? ? + Insert SmartText ↔ ⇒ ↶ ⇅ 100%

🔔 Next Required Link Order
✓ Accept ✗ Cancel

Track Board Changes

- Updated track boards will be going live within the next 1-2 weeks. We will be removing the Zone B, C, D, and E boards as well as the Acute + and Acute 1+Resus track boards.
- Each Zone has a “Holding” bed that can be used for patients being sent from Triage or PIT to that Zone to avoid placing them in a room they are not assigned to.

MSH EM US Group

- The Ultrasound Team has a new Epic Chat Group that can be used to contact them when they are scanning to perform an exam. The team, depending on who is on, can also help with nerve blocks and TEEs. Congrats to Miguel and the rest of the US team who performed the first Zone E TEE today on a cardiac arrest patient.



MSH EM POCUS Team
MSH EM POCUS Team

Penicillin Shortage and Syphilis

- There is an ongoing critical nationwide shortage of IM Penicillin G (Bicillin L-A)
- Supply has improved and we can now use IM Penicillin to treat syphilis without ID approval
- ID continues to recommend alternative treatment for diagnoses other than syphilis, such as Group A streptococcal pharyngitis including:
 - Amoxicillin 500mg PO BID OR Amoxicillin 1g PO daily for 10 days

Express Care Abdominal Exams

- For patients who require supine positioning to adequately perform exams (e.g., abdominal exams), please utilize Rooms 161 and 166 which have beds that can fully recline

Code Blue

- If the temperature is < 32 degrees F, we are obligated by the city to make a plan with patients who are unhoused and/or do not have anywhere to go post discharge.
- Social Workers are available 24/7 and will collaborate with the Department of Homeless Services and transport to help make a safe disposition plan for these patients.

Operations

Post Construction Updates to Triage and EKG Workflows

- EKG signing will be based on triage location - *effective 11/6*
 - EMS Triage EKGs > Acute 1 Attending
 - Walk In Triage and PITT EKGs > Acute 2 Attending
- Psych and OB clearance will be based on triage location - *effective 11/14*
 - EMS triage (psych or OB) > Acute 1 Attending
 - Walk in triage (psych or OB) > Acute 2 Attending
 - Future State – Triage RNs will notify attendings directly via Zoom Phone rather than overhead page – in order for this to work, *please make sure you are logged into Zoom and logged in with your Zoom # on Epic.*
- Triage of Parents of Pediatric Patients - *effective 11/14*


- Parents of Pediatric Patients will be triaged to **Acute 2** (previously Acute 1) with the Acute 2 provider team and RN caring for the patient.
- We will attempt to cohort Parent + Child in rooms A111, A112 and A113 if possible.
- See [Epic documents > Triage > Triage of Parents of Pediatric Patients](#)

Transfer Huddles

- Attendings may be asked to perform a “Transfer huddle” on admitted patients being transferred to other sites
- This is a time out to confirm **where the patient is going** and ensure **stable vitals**
- This is done by the Transfer Provider if available but please assist if the ANM is asking you to attend as sometimes they are not available and waiting for them will only delay moving the patient out of the department

Mass Casualty System Wide Exercise Follow Up: *Update your Mass Notification profile!*

- Log into [Sinai Central](#)
- Click on [Employee Self Service](#):



- Click on [Mass Notification Profile](#):

Employee Self Service

[Access Recertification](#)
[Account Admin](#)
[Attestation](#)
[Car Pool](#)
[Clinical Appointments](#)
[Directory Profile](#)
[Emergency Contact](#)
[Faculty Appraisal](#)
[Faculty Profile](#)
[Language Competency Profile](#)
[Mass Notification Profile](#)
[NYS Healthcare Worker Bonus](#)
[Occupational Health Survey](#)
[Payroll Online](#)
[Performance Appraisal](#)
[Preferred Name](#)
[Salary Sources](#)
[Sinai1 Profile](#)
[Surveys](#)
[Tax Forms / Address Change](#)
[Travel Waiver](#)
[Walking Buddies](#)
[Wellness Hub](#)

Utilities

[Directory](#)
[Personal Profile](#)

Email Support
Documentation
Change Layout

- Ensure your phone number(s) and email address(es) are updated. If not, click the Sinai1 Profile link on the left-hand side and update the information there first.



Mass Notification Profile Ready.

Mass Notification Profile
Sinai1 Profile

Mass Notification Profile

| | | |
|--------------------------------------|------------------------------------|-------------------------------------------------------------|
| First Name | Last Name | Primary Department |
| <input type="text" value="KRISTEN"/> | <input type="text" value="KELLY"/> | <input type="text" value="870 - Emergency Medicine - ISM"/> |

Information that is in gray fields below can only be updated in Sinai1 and will be part of your Sinai1 profile that can be seen by others within the organization

| | | |
|------------------------------------------------------------|---------------------------------------------|--------------------------------------------------------------------|
| Work Email Address | Work Phone Number | Primary Work Location |
| <input type="text" value="Kristen.Kelly2@mountsinai.org"/> | <input type="text" value="(203) 253-6112"/> | <input type="text" value="1468 Madison Ave (Annenberg Building)"/> |

The information entered in the fields below is only used for emergency mass notification and will not be part of your Sinai1 profile and will not be shared with your supervisors or leadership

- Save your work!

Resus Triage Designations: *effective 10/4*

- All overheads for new ADULT + PEDIATRIC Resus patients will now be **color coded** for departmental awareness and to delineate those specific cases that require more than standard resources. Consider calling these early when pre-notification calls meet criteria (e.g. cardiac arrest).
- Designations:
 - **RED**: Cardiac arrest, post-cardiac arrest, trauma code, or any other patient deemed in need of further resources as decided by the resuscitation resident/PA, resuscitation attending or Pediatric attending, as applicable.
 - **PINK**: Precipitous delivery
 - **YELLOW**: All other (e.g., standard resus resources needed only)
- Backup Team members: *also includes RN, ERT, and ECA backup*
 - **RED**
 - ATTENDING: Mid Fast attending (7-3, 3-11, 11-7 shift)
 - MIDELEVEL: Resus backup resident/PA
 - **PINK**
 - ATTENDING: Pediatrics attending
 - MIDELEVEL: Pediatrics resident/PA (as designated on schedule)

Resus Triage Criteria

- There should be no need for a Resus Consult
 - That said, please be appreciative of the training of Triage RNs and allow their discretion if they feel a patient would be better served in Resus with a plan to **rapid downgrade** if you do not believe they need to stay in Resus
- See Epic Documents > [Triage to Resus Criteria](#)
- Please escalate any issues **in real time** to Admin on Call or ANM

Overnight closure of Zone C: *effective 10/4*

- To facilitate workflow and supervision, Zone C closes every night and all PIT and Mid Fast patients are co-located in Zone A
- See [Epic Documents > Clinical Pathways > Zone C Closure Overnight Workflow](#)

RESUS Supplies


- The Zone E Airway and Procedure wire racks have been moved into new permanent cabinets.
- The supplies in the Zone E supply closet have also been modified to be more appropriate for the patients in that area. Since it is a smaller closet, we cannot fit everything we need, but have ensured critical items are there. The remainder of the common ED supplies will be stored in the Zone D supply closet which we will be working to improve next.
- Please take some time to review where things are prior to your next Resus shift. Please also send feedback directly to the ED Leadership Team for potential improvements.

Date: 10/4/2023

Construction

Overnight closure of Zone C: effective TONIGHT 10/4

- To facilitate workflow and supervision, we will be closing Zone C overnight and all PIT and Mid Fast patients will be co-located in Zone A




Updates:

- Zone H (Observation), Zone D and E are open
- Acute 1 and Resus patients have moved in Zone D and E, respectively
- Ambulance Bay is open and EMS triage has been relocated
- PITT team has moved into Zone A

Next Steps:

- Acute 2 patients and team will move into Zone B including the Alcove space where EMS triage was previously
- Acute 2 closes for construction



Operations

Resus Triage Designations: *effective today!*

- All overheads for new ADULT + PEDIATRIC Resus patients will now be **color coded** for departmental awareness and to delineate those specific cases that require more than standard resources
- Designations:
 - **RED**: Cardiac arrest, post-cardiac arrest, trauma code, or any other patient deemed in need of further resources as decided by the resuscitation resident/PA, resuscitation attending or Pediatric attending, as applicable.
 - **PINK**: Precipitous delivery
 - **YELLOW**: All other (e.g., standard resus resources needed only)
- Backup Team members: *also includes RN, ERT and ECA backup*
 - **RED**
 - ATTENDING: Mid Fast attending (7-3, 3-11, 11-7 shift)
 - MIDELEVEL: Resus backup resident/PA
 - **PINK**
 - ATTENDING: Pediatrics attending
 - MIDELEVEL: Pediatrics resident/PA (as designated on schedule)

Resus Triage Criteria

- There should be no need for a Resus Consult
 - That said, please be appreciative of the training of Triage RNs and allow their discretion if they feel a patient would be better served in Resus with plan to **rapid downgrade** if you do not believe they need to stay in Resus
- See Epic Documents > Triage > [Triage to Resus Criteria](#) for most up to date criteria
- Please escalate any issues **in real time** to Admin on Call or ANM

Date: 9/25/2023


Construction Update

Zone H (Observation) is **OPEN!**

- Patients have been moved from the ED and Annenberg 7 to the new Observation space (across from Zone C)
- RETU is now known as Observation and is in Zone H (see blueprint below)
- Zone H will also host some admitted patients who are awaiting bed placement

Go Live for Zones D & E: **TOMORROW**

- Phased opening to allow for cleaning of areas as patients move out and before new patients move in
- Below is the schematic for next phase locations: Only Resus and Acute 1 are moving **tomorrow**
 - If you are in RESUS this week, please take a moment BEFORE YOUR SHIFT to familiarize yourself with new critical equipment and supply locations
- Team station and computers will be labeled temporarily after Go Live for staff awareness



ED Code Team responses to Zone H (Observation)

- ED Code Team may be called to respond to Zone H:
 - **ADMITTED** patients should be managed **IN ZONE H** and **NOT** moved to Resus: the inpatient team/front line RN should call RRT simultaneously and ED Code Team should hand off to RRT at bedside (this is a similar workflow for *admitted* patients in CT scan, Dialysis, and the future MC Boarding)
 - **Observation (RETU)** patients may be moved to Resus to facilitate care as the patient will likely need to be admitted at that time

Operations Update

*A number of new processes and process improvement changes will be going live with the transition to the new space (please refer to **Epic Documents** for the most up to date versions of these processes).*

Resus Triage Designations: *effective once ambulance bay reopens (DATE TBD)*

- All overheads for new ADULT + PEDIATRIC Resus patients will now be **color coded** for departmental awareness and to delineate those specific cases that require more than standard resources
- Designations:
 - **RED:** Cardiac arrest, post-cardiac arrest, trauma code, or any other patient deemed in need of further resources as decided by the resuscitation resident/PA, resuscitation attending or Pediatric attending, as applicable.
 - **PINK:** Precipitous delivery
 - **YELLOW:** All other (e.g., standard resus resources needed only)
- Backup Team members: *also includes RN, ERT and ECA backup*
 - **RED**
 - ATTENDING: Mid Fast attending (7-3, 3-11, 11-7 shift)
 - MIDELEVEL: Resus backup resident/PA
 - **PINK**
 - ATTENDING: Pediatrics attending
 - MIDELEVEL: Pediatrics resident/PA (as designated on schedule)

Reminder: Resus Triage Criteria


- There should be no need for a Resus Consult
 - That said, please be appreciative of the training of Triage RNs and allow their discretion if they feel a patient would be better served in Resus with plan to **rapid downgrade** if you do not believe they need to stay in Resus
- See Epic Documents for most up to date criteria and rapid downgrade process
- Please escalate any issues **in real time** to Admin on Call or ANM

Rapid Downgrade Process from Resus

- **Resus team** assesses patient bedside in Resus
- **Resus team** places orders
- If patient is ill but does not require Resus level of care, a **warm (verbal) handoff** should occur to the **Acute team**
- **Resus team** writes a brief handoff note regarding their decision making
- **Acute team** performs full assessment of patient and writes ED Provider note

Overnight closure of Zone C: *effective after transition of Zone A to PITT/Mid Fast occurs*

- To facilitate workflow and supervision, we will be closing Zone C overnight and all PIT and Mid Fast patients will be co-located in Zone A
- See workflow below for details



Stroke Provider Workflow: effective 9/25

- Stroke resident/PA coverage will now **alternate** between a provider on Acute 1 and Acute 2 to more equally distribute the workflow
- Generally, the Acute 2 stroke provider will be a resident and Acute 1 will be covered by PAs, with some variability based on scheduling week to week

Clinical Care

No More Paper IV Contrast Forms

- Patients no longer need to complete the two-page paper IV contrast questionnaire - instead, when ordering a CT study with IV contrast, the provider will be asked to complete these two simple questions:

❗ Does patient have a history of allergic-like reaction or unknown-type reaction to iodinated contrast?

No history of reaction Yes - will premedicate Yes - but emergent study; potential benefits outweigh risks

❗ Does the patient have a history of diabetes or renal disease?

No history of diabetes or renal disease Yes - will check GFR Yes - but emergent study; potential benefits outweigh risks


- Please think** before you click and actually consider the patient's history before just blindly clicking off – we do not want this to backfire into allergic reactions and have to go back to paper forms.

Call in Workflow – information location change

- When an Ambulatory Referral to ED order is placed or call-in information is entered, a **phone icon** appears in the notifications track board column:



- Call-In/AMAC documentation and Ambulatory Referral to ED information will now appear in the Triage workspace:



Hemorrhagic Stroke Workflow

- Please call a stroke code before you roll to CT if you are worried about any type of stroke (ischemic and hemorrhagic) *even* if you have taken the patient to RESUS to stabilize/rule out other diagnoses first
- This allows all stroke resources to be at your disposal quickly should you need it (e.g., neurology, neurosurgery, neuroradiology)

Date: 8/17/2023

Discharge Process – LIVE in All Adult ED Zones

- The discharge process that has been live in Acute 1 and 2 is now live in all zones of the Adult ED (not in RETU or Peds)
- Please make sure to click “Discharge Anticipated” when you are preparing to discharge a patient
- For a refresher, feel free to go through the guidance available on Epic Docs under Clinical Pathways --> [ED Discharge Process](#)
- Providers are still expected to review discharge instructions with patients prior to discharge, but nursing will carry out the final tasks of IV removal, printing paperwork, and guiding the patient to the BA

Radiology Escalation

- Due to recent issues with radiology, we have published a comprehensive escalation pathway for their team on the Epic Track Board


[Radiology Escalation](#)

- When experiencing delays with radiology:
 - Contact them directly using the numbers listed in the ED Contacts List or speak with Michael Collazo if he is on shift

- If neither of those are successful, please escalate to the Charge Nurse/ANM and the Radiology Throughput Epic Group
- If that is not successful, please escalate to the supervisor or lead tech (numbers listed on the Epic track board)

New E-Swab

- Blue culture swabs have been replaced by the e-swab pictured below
- E-swabs should be used for all specimen collection that previously required the blue swab



Clinical Guide

- The [Clinical Guide](#) has been posted to Epic Documents (Basics-->Clinical Guide)
- This is a living guide that contains information about our clinical area
- Let us know if you have suggestions for edits or additional sections

Hemorrhage Kits

- Hemorrhage kits are stocked in the RESUS Cabinet pictured below
- These kits contain tourniquets and hemostatic devices that can be used in the event of an MCI or patient with significant hemorrhage
- Consider reviewing our Active Shooter module on PEAK which is part of your Annual Mandatory Education and can be found there or by searching for "MSHS|Armed Intruder/Active Shooter|2023"




Construction Updates

- The new zone openings are slightly delayed due to pending DOH approvals
- Please anticipate a comprehensive construction update towards the end of next week detailing the plan for the next move
- With the new space we will be implementing a few new workflows that will also be included in the update

Tonometer

- The iCare device that was lost has been replaced and is located in the Zone C locked cabinet
- In order to access it, please ask the nurse in Zone C to unlock the cabinet and expect to leave your ID until it is returned

- Please make sure the device is returned as soon as possible to prevent it from disappearing



again

BVM PEEP Valve

- The BVMs stocked in the department have PEEP valves on them
- This is a fun fact the ED Leadership Team learned last week and we are sharing with all of you



Date: 7/28/2023

Clinical Care

MSH ED Clinical Guide: *NEW comprehensive guide to working in our department*

- Resource for new and long-time faculty to familiarize or re-familiarize yourself with some of the nuances of working in our department
- Can be found on [Epic Documents > Basics > Clinical Guide](#)
- If you notice something incorrect or missing, please send our way! We will be updating frequently.

Management of IEC/CAR-T Patients – *important!*

- New **BPA alert** for specific subset of cancer patients receiving CAR-T immunotherapy as they are high risk for decompensation and **MUST be monitored in RESUS**
- Please **familiarize yourself with the attached** and if you see the BPA, please act accordingly

Operations

Radiology Expeditor – Michael Collazo

- **New pilot role** to improve patient readiness for imaging services, coordinate required paperwork and preparation and escalate issues
 - *E.g.*, helping get patients in gown, filling out contrast or MRI questionnaires, assuring pregnancy tests are back for patients below 50 years old
- Staffed **Monday – Friday 2pm-10pm** through 8/18 and hopefully longer
- Please introduce yourself to Michael when he rounds in the department and feel free to escalate any radiology throughput issues to him directly

Construction: *next phase opening end of August*

- Please be sure to attend assigned **Fire Safety trainings** required by the Department of Health for opening our next phase
- Next phase:
 - Opening of new Acute Zones (“D” and “E”) and closure of current Acute 2
 - Reopening of ambulance bay
- More details on operational changes to patient flow and provider staffing in coming weeks

Vital signs parameters: ERTs should be escalating following VS abnormalities to RNs in real time - if you believe something was not escalated appropriately, please inform leadership so we can follow up:

- T >38 or <36C
- HR >120 or <60
- SBP >180 or <90, MAP <65
- RR >22
- O2 sat <90%

Date: 7/6/2023

Important Announcement

Lactation Rooms:

- The lactation room in the ED by EMS Triage and in the ED staff lounge will have their locks updated to switch from a universal code to your Life Number.
- For access, please reach out to leadership to have your life number programmed for the lock.

Operations

Unified Communications:

- Please provide feedback on Zoom calling using [this survey!](#)

Clinical Care

Peripheral IVs:

- All patients requiring an IV will need an order for IV placement per MSH/MSQ policy on IV therapy that was developed to meet current New York State nursing regulations.
- The “Saline Lock IV” Order is available on the Quick List as well as most of the commonly used Order Sets.

Bedside Test & Nursing

- Electrocardiogram, Complete
- Glucose-Fingerstick (POCT)
- Gem 5000 (Venous)
- Nasal Cannula Oxygen
- Cardiac Monitoring within the ED
- Pulse Oximetry; Continous
- Vital Signs
- Constant Observation (1:1) (DTS/DTO)
- Nursing Communication - PO Trial
- Saline Lock IV
- Undress Patient

Penicillin shortage:

- There is a critical nationwide shortage at this time of IM Penicillin G (Bicillin L-A), which is used for the treatment of primary, secondary, and early latent syphilis. In this setting, the [CDC](#) and [NYSDOH](#) are recommending reserving remaining stock for settings in which alternatives cannot be used, particularly the treatment of syphilis in pregnant persons and babies with congenital syphilis. In the inpatient/ED setting, Bicillin L-A will require Infectious Diseases approval at all times.
- Given current limited supply, our recommendations are to:
 - Immediately stop usage of IM Penicillin G (Bicillin L-A) for the treatment of Group A streptococcal pharyngitis. Oral alternatives include: amoxicillin 500 mg PO BID or amoxicillin 1g PO daily for 10 days.
 - Preferentially use oral doxycycline for the treatment of syphilis in non-pregnant persons. Oral dosing: doxycycline 100 mg PO BID, for 14 days in early syphilis and 28 days in late latent syphilis or syphilis of unknown duration. Patients treated with oral doxycycline should be seen for follow up titers to assess response.
- Treatment with IM Penicillin G (Bicillin L-A) should be reserved for the following patients: pregnant persons, infants with concern for congenital syphilis, and treatment of syphilis in those patients with advanced HIV/AIDS in whom there is concern for treatment failure.

PIT workflow:


- The [PIT Provider Workflow](#) on Epic Documents has been updated. Please feel free to review and provide feedback.
- If there is a disagreement regarding the PIT provider triage decision, the resolution should be between the attendings in the zones.

Hallway Criteria:

- When placing admission orders, please review the hallway criteria to ensure a patient is appropriate for a hallway bed prior to selecting it in the order. The criteria are available on Epic Docs under Disposition>Admissions>[Admission Hallway Criteria](#).

Epic Disposition Note Change:

- Effective Wednesday, June 28, the old Disposition Decision note will be retired and instead be built into the existing admission handoff workflow (see screenshots below).
- The new process focuses on six admitting diagnoses where, if we document appropriately, we can help prevent an admission denial. If none apply, simple check off “N/A”.
- Once you’ve completed the documentation, the red icon will change to green



Admission Handoff Documentation


Inpatient Criteria for Common Diagnoses

- Heart Failure
- Myocardial Infarction
- Unstable Angina
- Cellulitis
- Pneumonia
- Renal Failure
- N/A

Myocardial Infarction

The patient has myocardial injury due to acute ischemia, as indicated by:

- Symptoms consistent with myocardial ischemia (e.g., chest pain, dyspnea)
- New or presumed new ECG changes consistent with ischemia (e.g., ST-segment change, left bundle branch block)
- ECG with new or presumed new pathologic Q waves
- Cardiac imaging with new or presumed new regional wall motion abnormality or loss of viable myocardium consistent with ischemia

| Not | Oxygen | Comments | New | Dispo | IP |
|-----|--------|----------|-----|-------|------------------------------------------------------------------------------------|
| | 98% RA | | ▾ | | |
| | 97% RA | | ▾ | Disc. | |
| | 98% RA | | ▾ | Admit |  |
| | 98% | ct | ▾ | | |

Oncology Care Unit:

- Please consider placing a referral to the Oncology Care Unit for patients with cancer who require an observation stay and who meet certain criteria outlined on Epic Documents under Disposition>Admissions>[Oncology Care Unit](#).
- The new Referral Order “MSH AMB REF TO Oncology Care Unit (OCU)” can be placed in the Disposition section of the patient’s chart in the same Orders/Prescriptions section where referrals to clinics are placed in the Prescriptions/Referrals search bar.

Date: 6/20/2023

Clinical Care

Patients with Accessed Ports

- Patients with ports that are accessed during their ED visit for medication administration or blood draws should have their ports de-accessed prior to discharge.
- The nursing team is aware and will ensure this happens prior to discharge but cannot perform this task if the patient is discharged by the provider. Patients in Acute and Resus should only be discharged by the RN as this will ensure proper pre-discharge care is delivered.

Pre-Exposure Prophylaxis (PrEP)

- The Health Educators are available to discussed PrEP with patients who are interested and navigate them to follow up care.
- Please message the “MSH ED Health Educators” Epic Chat Group if you have a patient who is interested in or would benefit from PrEP.



Naloxone Kits

- Please Order Naloxone Kits Liberally: They are now stored in the Pyxis. You will need to place an order in Epic for the RN to give to the patient.
- To-Go kits for Buprenorphine: These kits are available for patients who may not have insurance and are interested in medication for opioid use disorder (MOUD). Contact social work to help obtain these kits for patients. There are resources available on Epic Documents including a COWS based algorithm for initiation. The Health Educators can help counsel patients on Buprenorphine initiation and arrange follow up. There is also a list of substance use programs on Epic Documents.

Press Ganey Scores

- Our ED team has consistently been above our target scores for the last 6 months. This is a reflection of the great care provided by all of you. Thank you for all that you do for our patients.

| Mount Sinai Hospital - Emergency Department - Key Drivers Summary | | | | | | | | Preliminary | | |
|-------------------------------------------------------------------|-----------------|---------------|---------------|--------------|---------------|------------|------------|-------------|-------|-------|
| Mount Sinai Hospital | | November 2022 | December 2022 | January 2023 | February 2023 | March 2023 | April 2023 | May 2023 | Trend | Goal |
| Key Drivers | | n | 140 | 135 | 192 | 187 | 211 | 173 | 143 | |
| Overall rating of care | Mean Score | 72.32 | 82.22 | 83.2 | 80.21 | 81.28 | 79.77 | 81.82 | | 79.4 |
| | Percentile Rank | 5 | 36 | 43 | 25 | 28 | 19 | 27 | | 24 |
| Staff worked together care for you | | 73.1 | 81.2 | 82.72 | 79.37 | 82.04 | 79.83 | 81.08 | | 79.33 |
| | | 3 | 24 | 32 | 16 | 24 | 13 | 18 | | 18 |
| Staff cared about you as person | | 73.28 | 83.52 | 83.55 | 80.92 | 83.45 | 80.57 | 82.77 | | 79.91 |
| | | 4 | 37 | 36 | 21 | 31 | 16 | 24 | | 19 |
| Nurses' attention to your needs | | 76.91 | 83.89 | 86.47 | 80.85 | 85.17 | 82.77 | 83.85 | | 81.1 |
| | | 5 | 28 | 46 | 14 | 32 | 17 | 22 | | 16 |
| Courtesy of doctors | | 82.19 | 88.14 | 87.63 | 86.78 | 88.6 | 86.93 | 86.39 | | 86.19 |
| | | 13 | 53 | 47 | 38 | 52 | 35 | 30 | | 36 |
| Overall | | 74.83 | 82.54 | 83.81 | 80.18 | 82.14 | 80.52 | 81.08 | | NA |
| | | 9 | 41 | 48 | 26 | 33 | 21 | 23 | | NA |



MDM Documentation and Billing

- Check out [this article](#) that breaks down some of the new documentation changes with some great examples.
- **MDM Hint:** What triggered the “Consider billing for Critical Care” Banner?
 - ESI of 1
 - Admission order to ICU or Stepdown
 - Patient on Sepsis Pathway
 - Patient roomed in a critical care room
 - BIPAP or CPAP ordered
 - Patient expired
 - Vital signs significantly abnormal: Blood pressure < 90/60, Heart rate > 120, SpO2 < 90%, RR >= 22
 - Use of Stroke, Trauma, STEMI, or Intubation order sets
- What is the definition of Critical Care: CPT currently defines a critical illness or injury as an illness or injury that acutely impairs one or more vital organ systems such that there is a high probability of imminent or life-threatening deterioration in the patient's condition.
- Examples of vital organ system failure include but are not limited to: central nervous system failure, circulatory failure, shock, renal, hepatic, metabolic, respiratory failure.

Operations

Down Time Preparation

- Please look out for an email regarding multiple upcoming Epic Downtimes including this weekend 6/24 and 6/25. Those working will receive a pre-downtime preparation email.

Zoom Calling Feedback: Please scan QR code to provide feedback for experience with zoom phones



<https://forms.office.com/r/pWB2XVf5qw>

Migration from Symantec VIP to Azure MFA

- All Staff currently using Symantec VIP need to register and verify Azure MFA (multi- factor Authentication). Click on [this link](#) and login using your email/password and two-factor authentication. If you have registered successfully, you would see an entry including 'Phone' and/or 'Microsoft Authenticator' in the 'Security Info' tab.
- If you need to update or register a device for Azure MFA, please use the step-by-step registration guide linked [here](#). (Option 3: Registration for users that use Azure MFA currently) Please make sure to have a backup device registered.
- Starting Thursday, June 8, 2023, your account will be migrated to Azure MFA for all Azure-based applications. Once your account is migrated, Azure applications will prompt the Azure MFA instead of Symantec VIP. DTP is targeting the end of July 2023 to cut over all remaining applications to use Azure MFA, including Mount Sinai VPN
-

MSH AMB REF TO ONCOLOGY CARE UNIT (OCU) Accept Cancel Remove

Status: Normal Standing Future

Priority:

Class:

Modifiers:

Comments:

Sched Inst:

Show Additional Order Details

Accept Cancel Remove

Date: 6/1/2023

Clinical Care

Zone C Staffing: effective Monday 1/3/2023


- Second Zone C attending (9a-6p, 5p-2a) **will see primary patients**
 - To assign yourself as primary, go to Team > "Add Team Member" > Type "attending" and select "Primary, Attending Case"
- Depending on midlevel staffing, this attending will likely also take presentations from residents and PAs

End of routine COVID testing

- Effective 5/22/2023, the hospital **no longer requires** mandatory routine preadmission or preprocedural testing
- **ONLY** patients who are **symptomatic** or who have a **high risk exposure in the past 10 days** should be tested
- If you are asked to test a patient going for a procedure, please politely decline and reference the broadcast notification

Stroke Workflow

- There are Stroke Order Sets for Undifferentiated, Ischemic, Hemorrhagic, and TIA
- All initial stroke codes should use the *Undifferentiated Stroke Order Set*
- Patients transferred in or found to have a *Hemorrhagic Stroke* or *Ischemic Stroke* should have those order sets used
- Patients being evaluated for TIA should have orders placed using the *TIA Order Set*
- Also, please note that tPA can and should be given in the CT scanner as was previously agreed upon between ED and Neurology leadership



Patients with HIV requiring primary care follow up

- All patients with HIV who require primary care follow up after an ED visit should be referred to Jack Martin (via "**Amb Ref to Infectious Disease**") not Internal Medicine Associates (IMA)
- Jack Martin follows all patients with HIV for primary care and a referral to IMA results in an unnecessary clinic visit for the patient as they are then just referred to Jack Martin

Radiology Workflows

- Patients who need G-Tube placement evaluated should be ordered for a "[Gastrostomy Catheter Check](#)". After placing the order, please call the radiology resident to coordinate the study. Patients should not be ordered for KUBs.

MDM Documentation and Billing

- Please remember to reference the [MDM Grid](#) and [MDM FAQs](#) which can be found in Epic Documents > Basics > Documentation when you are charting
- **MDM Hint #2:** Do you know the types of problems addressed that qualify for a level 4 (moderate complexity) chart? Evaluating a patient for a chronic illness with exacerbation, chronic illness with progression, chronic illness with side effects of treatment, 2 or more stable chronic illnesses, 1 undiagnosed new problem with uncertain prognosis, 1 acute illness with systemic symptoms, or 1 acute complicated injury all qualify for moderate complexity of problems addressed (COPA). You can review the criteria for each of these problem types on the MDM FAQ website linked above under Question 8 and 9. Make sure to document these when describing the problems you are addressing in your MDM.

Operations

RESUS Supply Reorganization and Sustainability

- ED provider, nursing and administrative leadership have just completed a reorganization of the RESUS supplies that hopefully you will find more intuitive. Please familiarize yourself with the critical equipment locations and supplies:
 - Airway related supplies can be found in the **Airway cabinet** near Zone A 112/113
 - Procedural kits and access supplies can be found in the **Procedure/Access cabinet** near 113 and the alcove
- The Operations team has a restocking process in place, but any real time issues (e.g., missing items, insufficient par) should be escalated to the #MSHEDOps email or you can let the ECA in the area know
- In order to ensure sustainability, please do not move items. If you feel something is in an inappropriate or inaccessible location, please escalate to Kristen or Guru.
- If you believe we are missing a critical supply, please email #MSHEDOps or let Kristen or Guru know. We are meeting on a regular basis to assess the need for new supplies.

Mass Casualty Preparedness

- In the event of an MCI, you can find the [MCI Checklist](#) with actions to take under Epic Docs > Triage > ED Mass Casualty Checklist
- *Reminder:* PIC attending becomes the Unit Leader until relieved by ED leadership
- Mass Hemorrhage Kits (including tourniquets, Halo seals, Quickclot) can be found in Resus in the small cabinet to the right of the Access cart

Construction: *next phase opening Summer/Fall 2023*

- Opening of new Acute Zones and closure of current Acute 2
- Reopening of ambulance bay
- Opening of new RETU space